

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI009198A  
**DATE:** 12/30/2007  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Maxim  
**CODE:** M-1256-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the Directory of Certified Products. Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Maxim Industries, Inc.</b> <b>1630 Terre Colony Court</b> <b>Dallas, TX 75212</b>	<b>Series "Dade Curbmount"</b> <b>Polycarbonate Glazed Aluminum Skylight</b>  <b>Configuration: O</b>  Glazing: Exterior Dome-0.118"Hyzod Polycarbonate w/8" rise /Interior Dome-0.118" Hyzod Polycarbonate w/4" rise  Overall: W-4'4" Daylight Size: W-4'0"  H-8'4" H-8'0"

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: +60/-60 psf</b> <b>Large Missile Impact Rated</b>

Product Tested By: Architectural Testing, Inc.  
 Report No: ATI-01-43381.01  
 Expiration Date: December 31, 2011

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
 MANAGEMENT INSTITUTE, INC.**  
**11870 Merchants Walk Suite 202**  
**Newport News, VA 23606**  
**TEL: (757) 594-8658**  
**FAX: (757) 594-8659**