NOTICE OF PRODUCT CERTIFICATION •



CERTIFICATION NO: NI009198.01-R5

DATE: <u>12/30/2007</u>

CERTIFICATION PROGRAM: Structural

COMPANY: Maxim

CODE: M-1256-1

REVISION DATE: 08/21/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Maxim Industries, Inc.	Series "Dade Curbmount"	
1630 Terre Colony Court	Polycarbonate Glazed Aluminum Skylig	ght
Dallas, Texas 75212		
	Configuration: O	
	Glazing: Exterior Dome-0.118" Hyzod Polycarbonate w/8" rise/Interior Dome-0.118" Hyzod Polycarbonate w/4" rise	
	Overall: W-4'4" DLO: W-4'0"	
	H-8'4" H-8'0"	

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +60/-60 psf Large Missile Impact Rated

Product Tested By: Architectural Testing, Inc.

Report No: ATI-01-43381.01 Expiration Date: December 31, 2021

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Tel: (804) 684-5124 Fax: (804) 684-5122