## **NOTICE OF PRODUCT CERTIFICATION**



To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
MaximIndustries, Inc.	Series "Maxim Impact Glass Curb
1630 Terre Colony Court	Mount Skylight"
Dallas, TX 75212	Configuration: O
	Glazing: IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Sentry Glass® Plus/1/8" Annealed Glass
	Overall: W-60.625" DLO: W-58.375"
	Н-61.25" Н-56.375"

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +55.3/-55.3 psf
ASTM E283/E330/E331	Large Missile Impact Rated
ASTM E1886-02/E1996-02	Wind Zone 4-Missile Level D

Product Tested By: Report No: Expiration Date: Hurricane Test Laboratory, LLC. T482-0604-07 <u>August 31, 2021</u>

Administrator's Signature: -

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 Fax: (804) 684-5122